



LIQUEFIED PETROLEUM GAS PERMIT

Please email the completed form to the Centre's Co-ordinator fourteen (14) days prior to the event.

CONTACT DETAILS

Event Name

Event Date

Venue/ Hall

Booth Name

Person in Charge

Booth No

Email

Mobile No

A) TERMS & CONDITIONS

1. Only one (1) unit of a 14 kg LPG cylinder are allowed in each exhibition booth.
2. If you require more than one cylinder, a copy of a risk assessment information document must be submitted.
3. All LPG cylinders must be removed from the exhibition floor via the back of the house access.
4. For overnight storage, all LPG cylinders must be stored at the checkpoint next to the scheduled waste store.
5. No naked flames are permitted within one (1) metre of LPG cylinders.
6. A fire extinguisher (ABC type) and a fire blanket must be provided at the booth, with staff trained for their use.
7. If, at any time, an activity or operation is considered non-compliant, unsafe or poses any risks to any persons or the environment, the Centre's representatives have the right to immediately postpone or cancel the activity until the issue is rectified. Please note that at any stage before or after this permit is approved, the Centre may, at its sole and absolute discretion, add or remove any restrictions to the use or application of this permit.



LIQUEFIED PETROLEUM GAS PERMIT

B) Please complete the form below:

1. What is the reason and purpose for using LPG?

2. How much LPG will be used on site?

I hereby agree to comply with and follow the terms and conditions.

Name

Designation

Date

**** CONVENTION CENTRE USE ONLY ****

Issued by

Comment

Date

